




FINESIA

Bone Level



Unit: mm

Platform	NP Narrow Platform	RP Regular Platform	WP Wide Platform
Diameter	φ3.2 φ3.4	φ3.7 φ4.2	φ4.7 φ5.2
Tip Type	 Tapered type (TP) or  Straight type (ST)		
Surface Surface Treatment	 HA (HA Coating) or  AO (Anode Oxidization)		
Length Intrabony Length	6.0 8.0 10.0 12.0 14.0 16.0		

Prosthetic
Parts

Superstructures

Bone Level


System Tree

◆...NP ◆...RP ◆...WP




Abutment Screw

◆ P11 ◆ P32 ◆ P54



Post Abutment

◆ P8 ◆ P29 ◆ P51
 (W) ◆ P29 ◆ P51




Angle Abutment

◆ P9 ◆ P30 ◆ P52
 (W) ◆ P9 ◆ P30 ◆ P52



Prepable Abutment

◆ P10 ◆ P31 ◆ P53
 (W) ◆ P10 ◆ P31 ◆ P53



Temporary Abutment

(ST) ◆ P6 ◆ P27 ◆ P49
 (R) ◆ P6 ◆ P27 ◆ P49

Impression
Parts &
Analog



Transfer Coping

(ST) ◆ P11 ◆ P33 ◆ P55
 (R) ◆ P11 ◆ P33 ◆ P55

Impression Cap

◆ P12 ◆ P34 ◆ P56



Impression Post

◆ P12 ◆ P34 ◆ P56



Scan Body

◆ P12 ◆ P34 ◆ P56



Analog

◆ P13 ◆ P35 ◆ P57

Cover Screw
& Healing AB



Cover Screw

◆ P4 ◆ P18 ◆ P40





Healing Abutment

◆ P5 ◆ P26 ◆ P48
 (W) ◆ P5 ◆ P26 ◆ P48



Custom Healing Abutment

◆ P5 ◆ P26 ◆ P48



Implants



(ST: for single crown, R: for bridge)
(W: platform type)


Bone Level

NP

Narrow Platform

ϕ 3.2 ϕ 3.4

Implant



BL HA TP NP

Tapered type

Diameter		ϕ 3.4		Unit: mm
Length	HA	Product Name	Product Code	
8.0	5.0	FBL-HA-34-8TP-NP	BCD010110	
10.0	7.0	FBL-HA-34-10TP-NP	BCD010111	
12.0	9.0	FBL-HA-34-12TP-NP	BCD010112	
14.0	11.0	FBL-HA-34-14TP-NP	BCD010113	
16.0	13.0	FBL-HA-34-16TP-NP	BCD010114 [*]	


Length = (Intrabony Length)

* Option



Surface Treatment **HA**
Hydroxyapatite Coating

(Including one cover screw)



BL AO TP NP

Tapered type

Diameter ϕ 3.2 Unit: mm		
Length	Product Name	Product Code
8.0	FBL-AO-32-8TP-NP	BCD010040
10.0	FBL-AO-32-10TP-NP	BCD010041
12.0	FBL-AO-32-12TP-NP	BCD010042
14.0	FBL-AO-32-14TP-NP	BCD010043
16.0	FBL-AO-32-16TP-NP	BCD010044 [*]

Diameter ϕ 3.4 Unit: mm		
Length	Product Name	Product Code
8.0	FBL-AO-34-8TP-NP	BCD010045
10.0	FBL-AO-34-10TP-NP	BCD010046
12.0	FBL-AO-34-12TP-NP	BCD010047
14.0	FBL-AO-34-14TP-NP	BCD010048
16.0	FBL-AO-34-16TP-NP	BCD010049 [*]

Length = (Intrabony Length)

* Option



Surface Treatment **AO**
Anode Oxidization

(Including one cover screw)

Cap

COVER SCREW

Protect the implant during the non-loading period



For ϕ 3.2/3.4 Implant

Unit: mm

H	Product Name	Product Code
0.4	FBL-COVER SCR-S-NP	BCD011150
1.4	FBL-COVER SCR-M-NP	BCD011151
2.4	FBL-COVER SCR-L-NP	BCD011152



Abutment, Superstructure, Impression Parts (Implant Level)

NP

RP

WP

INSTRUMENTS

FINESIA BL

HEALING ABUTMENT

Heals the alveolar mucosa.



For ϕ 3.2/3.4 Implant			Unit: mm
H	Product Name	Product Code	
2.0	FBL-HEAL AB-2.0-NP	BCD011180	
3.0	FBL-HEAL AB-3.0-NP	BCD011181	
4.0	FBL-HEAL AB-4.0-NP	BCD011182	
5.0	FBL-HEAL AB-5.0-NP	BCD011183	
6.0	FBL-HEAL AB-6.0-NP	BCD011184	

HEALING ABUTMENT WIDE

Heals the alveolar mucosa.




For ϕ 3.2/3.4 Implant			Unit: mm
H	Product Name	Product Code	
2.0	FBL-HEAL AB W-2.0-NP	BCD011210	
3.0	FBL-HEAL AB W-3.0-NP	BCD011211	
4.0	FBL-HEAL AB W-4.0-NP	BCD011212	
5.0	FBL-HEAL AB W-5.0-NP	BCD011213	
6.0	FBL-HEAL AB W-6.0-NP	BCD011214	

CUSTOM HEALING ABUTMENT

Create the optimized emergence profile of the final crown expected alveolar mucosa by forming resin.


For ϕ 3.2/3.4 Implant		Unit: mm
Product Name	Product Code	
FBL-CUS HEAL AB-NP	BCD011240	



(Including one abutment screw)

TEMPORARY ABUTMENT ST

Create a provisional crown by forming resin.



For Φ 3.2/3.4 Implant

Unit: mm

W	GH	Product Name	Product Code
3.9	0.9	FBL-TEMP AB-1.0ST-NP	BCD011280
	2.0	FBL-TEMP AB-2.0ST-NP	BCD011290
3.5	3.0	FBL-TEMP AB-3.0ST-NP	BCD011291
	4.0	FBL-TEMP AB-4.0ST-NP	BCD011292
	5.0	FBL-TEMP AB-5.0ST-NP	BCD011293




(Including one abutment screw)

(for single crown)

TEMPORARY ABUTMENT R

Create a provisional crown by forming resin.



For Φ 3.2/3.4 Implant

Unit: mm

W	GH	Product Name	Product Code
3.9	0.9	FBL-TEMP AB-1.0R-NP	BCD011304
	2.0	FBL-TEMP AB-2.0R-NP	BCD011305
3.5	3.0	FBL-TEMP AB-3.0R-NP	BCD011306
	4.0	FBL-TEMP AB-4.0R-NP	BCD011307
	5.0	FBL-TEMP AB-5.0R-NP	BCD011308



(Including one abutment screw)

(for bridge)


Abutment, Superstructure, Impression Parts (Implant Level)

TITANIUM-BASED ABUTMENT ST

Consolidated with CAD/CAM to create zirconia abutment

For ϕ 3.2/3.4 Implant		Unit: mm
Product Name	Product Code	
FBL-TI BASE AB-ST-NP	BCDO11380	


(Including one abutment screw)

**CAST-ON ABUTMENT ST**

This abutment has a high degree of freedom and a wide application range. Therefore, custom abutments and screw-fixation superstructures can be produced with high precision.

For ϕ 3.2/3.4 Implant		Unit: mm
Product Name	Product Code	
FBL-CAST ON AB-ST-NP	BCDO11386	

(Including one abutment screw)

**CAST-ON ABUTMENT R**

This abutment has a high degree of freedom and a wide application range. Therefore, custom abutments and screw-fixation superstructures can be produced with high precision.

For ϕ 3.2/3.4 Implant		Unit: mm
Product Name	Product Code	
FBL-CAST ON AB-R-NP	BCDO11389	


(Including one abutment screw)



Abutment, Superstructure, Impression Parts (Implant Level)

POST ABUTMENT


Attached to the implant body for direct cementation of the prosthesis



For ϕ 3.2/3.4 Implant

Unit: mm


GH	H	Product Name	Product Code
1.0		FBL-POST AB-1.0S-NP	BCD011000
2.0		FBL-POST AB-2.0S-NP	BCD011001
3.0	4.1	FBL-POST AB-3.0S-NP	BCD011002
4.0		FBL-POST AB-4.0S-NP	BCD011003
5.0		FBL-POST AB-5.0S-NP	BCD011004
1.0		FBL-POST AB-1.0M-NP	BCD011005
2.0		FBL-POST AB-2.0M-NP	BCD011006
3.0	5.6	FBL-POST AB-3.0M-NP	BCD011007
4.0		FBL-POST AB-4.0M-NP	BCD011008
5.0		FBL-POST AB-5.0M-NP	BCD011009



(Including one abutment screw)

ANGLE ABUTMENT

Attached to the implant body for direct cementation of the prosthesis. It allows grinding to make a custom configuration according to each case. The inclination direction of the post is positioned at the corner of the hexagonal implant.




For ϕ 3.2/3.4 Implant				Unit: mm
H1	H2	Product Name	Product Code	
1.6	1.9	FBL-ANGLE AB-1.9-NP	BCDO11100	
2.6	2.9	FBL-ANGLE AB-2.9-NP	BCDO11101	
3.6	3.9	FBL-ANGLE AB-3.9-NP	BCDO11102	
4.6	4.9	FBL-ANGLE AB-4.9-NP	BCDO11103	

(Including one abutment screw)

ANGLE ABUTMENT WIDE

Attached to the implant body for direct cementation of the prosthesis. It allows grinding to make a custom configuration according to each case. The inclination direction of the post is positioned at the corner of the hexagonal implant.




For ϕ 3.2/3.4 Implant				Unit: mm
H1	H2	Product Name	Product Code	
1.6	1.9	FBL-ANGLEAB W-1.9-NP	BCDO11112	
2.6	2.9	FBL-ANGLEAB W-2.9-NP	BCDO11113	
3.6	3.9	FBL-ANGLEAB W-3.9-NP	BCDO11114	
4.6	4.9	FBL-ANGLEAB W-4.9-NP	BCDO11115	

(Including one abutment screw)

Abutment, Superstructure, Impression Parts (Implant Level)

PREPABLE ABUTMENT

Attached to the implant body for direct cementation of the prosthesis. It allows grinding to make a custom configuration according to each case.



For ϕ 3.2/3.4 Implant

Unit: mm


GH	Product Name	Product Code
1.0	FBL-PREP AB-1.0-NP	BCD011250
2.0	FBL-PREP AB-2.0-NP	BCD011251
3.0	FBL-PREP AB-3.0-NP	BCD011252
4.0	FBL-PREP AB-4.0-NP	BCD011253
5.0	FBL-PREP AB-5.0-NP	BCD011254



(Including one abutment screw)

PREPABLE ABUTMENT WIDE

Attached to the implant body for direct cementation of the prosthesis. It allows grinding to make a custom configuration according to each case.



For ϕ 3.2/3.4 Implant

Unit: mm

GH	Product Name	Product Code
1.0	FBL-PREP AB W-1.0-NP	BCD011265
2.0	FBL-PREP AB W-2.0-NP	BCD011266
3.0	FBL-PREP AB W-3.0-NP	BCD011267
4.0	FBL-PREP AB W-4.0-NP	BCD011268
5.0	FBL-PREP AB W-5.0-NP	BCD011269




(Including one abutment screw)

ABUTMENT SCREW

Screw for superstructures for FINESIA BL system
(except for splint abutment)

For Φ 3.2/3.4 Implant		Unit: mm
Product Name	Product Code	
FBL-AB SCR-NP-2L	BCD011130	




HEXALO DRIVER

TRANSFER COPING ST

For indirect impression taking (open tray)

For Φ 3.2/3.4 Implant		Unit: mm	
H	H	Product Name	Product Code
16.0(SS)	21.0(SL)	FBL-T COP-NP-ST-S	BCD011460
22.0(LS)	27.0(LL)	FBL-T COP-NP-ST-L	BCD011462

(Including S and L screws for transfer coping) (1pc each) (for single crown)




HEXALO DRIVER

TRANSFER COPING R

For indirect impression taking (open tray)

For Φ 3.2/3.4 Implant		Unit: mm	
H	H	Product Name	Product Code
16.0(SS)	21.0(SL)	FBL-T COP-NP-R-S	BCD011461
22.0(LS)	27.0(LL)	FBL-T COP-NP-R-L	BCD011463

(Including S and L screws for transfer coping) (1pc each) (for bridge)




HEXALO DRIVER

Abutment, Superstructure, Impression Parts (Implant Level)

NP
RP
WP
INSTRUMENTS
FINESIA BL

IMPRESSION POST

For indirect impression taking (closed tray)



For Φ 3.2/3.4 Implant			Unit: mm
H	Product Name	Product Code	
11.1	FBL-IMP POST-NP-S	BCD011500	
14.1	FBL-IMP POST-NP-L	BCD011501	

(Including one screw for impression post)
[Used in combination with impression cap (sold separately)]

IMPRESSION CAP

Impression cap for impression post

For Φ 3.2/3.4 Implant	
Product Name	Product Code
F-IMPRESSION CAP	BCD011535




(Including four pieces) (for single use)

SCAN BODY

For digital impression taking

For Φ 3.2/3.4 Implant		Unit: mm
Product Name	Product Code	
FBL-SCANBODY-NP	BCD011450	




(Abutment screw sold separately)

Laboratory Work Parts

ANALOG NP

Used in laboratory work model as a dummy implant for the fabrication of prosthesis


For Φ 3.2/3.4 Implant		Unit: mm
Product Name	Product Code	
FBL-ANALOG-NP-L	BCD011403	



LAB SCREW NP

Screw for laboratory work, used during the fabrication of prosthesis on analog model

For Φ 3.2/3.4 Implant				Unit: mm
H1	H2	Product Name	Product Code	
7.4	2.0	FBL-LAB SCR-NP-2.0L	BCD011420	
15.4	10.0	FBL-LAB SCR-NP-10L	BCD011421	
20.4	15.0	FBL-LAB SCR-NP-15L	BCD011422	
25.4	20.0	FBL-LAB SCR-NP-20L	BCD011423	



Bone Level


RP

Regular Platform

ϕ 3.7 ϕ 4.2

Implant

NP
RP
WP
INSTRUMENTS
FINESIA BL



BL HA TP RP


Tapered type

Diameter $\phi 3.7$ Unit: mm			
Length	HA	Product Name	Product Code
8.0	6.0	FBL-HA-37-8TP-RP	BCD010116
10.0	8.0	FBL-HA-37-10TP-RP	BCD010117
12.0	10.0	FBL-HA-37-12TP-RP	BCD010118
14.0	12.0	FBL-HA-37-14TP-RP	BCD010119
16.0	14.0	FBL-HA-37-16TP-RP	BCD010120 [※]

Diameter $\phi 4.2$ Unit: mm			
Length	HA	Product Name	Product Code
8.0	6.0	FBL-HA-42-8TP-RP	BCD010122
10.0	8.0	FBL-HA-42-10TP-RP	BCD010123
12.0	10.0	FBL-HA-42-12TP-RP	BCD010124
14.0	12.0	FBL-HA-42-14TP-RP	BCD010125
16.0	14.0	FBL-HA-42-16TP-RP	BCD010126 [※]

Length = (Intrabony Length)

* Option



BL HA ST RP

Straight type

Diameter $\phi 3.7$ Unit: mm			
Length	HA	Product Name	Product Code
6.0	4.0	FBL-HA-37-6ST-RP	BCD010085
8.0	6.0	FBL-HA-37-8ST-RP	BCD010086
10.0	8.0	FBL-HA-37-10ST-RP	BCD010087
12.0	10.0	FBL-HA-37-12ST-RP	BCD010088
14.0	12.0	FBL-HA-37-14ST-RP	BCD010089
16.0	14.0	FBL-HA-37-16ST-RP	BCD010090 [※]

Diameter $\phi 4.2$ Unit: mm			
Length	HA	Product Name	Product Code
6.0	4.0	FBL-HA-42-6ST-RP	BCD010091
8.0	6.0	FBL-HA-42-8ST-RP	BCD010092
10.0	8.0	FBL-HA-42-10ST-RP	BCD010093
12.0	10.0	FBL-HA-42-12ST-RP	BCD010094
14.0	12.0	FBL-HA-42-14ST-RP	BCD010095
16.0	14.0	FBL-HA-42-16ST-RP	BCD010096 [※]


Length = (Intrabony Length)

* Option



Surface Treatment **HA**
Hydroxyapatite Coating

(Including one cover screw)



BL AO TP RP


Tapered type

Diameter ϕ 3.7 Unit: mm		
Length	Product Name	Product Code
8.0	FBL-AO-37-8TP-RP	BCDO10051
10.0	FBL-AO-37-10TP-RP	BCDO10052
12.0	FBL-AO-37-12TP-RP	BCDO10053
14.0	FBL-AO-37-14TP-RP	BCDO10054
16.0	FBL-AO-37-16TP-RP	BCDO10055 *

Diameter ϕ 4.2 Unit: mm		
Length	Product Name	Product Code
8.0	FBL-AO-42-8TP-RP	BCDO10057
10.0	FBL-AO-42-10TP-RP	BCDO10058
12.0	FBL-AO-42-12TP-RP	BCDO10059
14.0	FBL-AO-42-14TP-RP	BCDO10060
16.0	FBL-AO-42-16TP-RP	BCDO10061 *

Length = (Intrabony Length)

* Option



BL AO ST RP

Straight type

Diameter ϕ 3.7 Unit: mm		
Length	Product Name	Product Code
6.0	FBL-AO-37-6ST-RP	BCDO10010
8.0	FBL-AO-37-8ST-RP	BCDO10011
10.0	FBL-AO-37-10ST-RP	BCDO10012
12.0	FBL-AO-37-12ST-RP	BCDO10013
14.0	FBL-AO-37-14ST-RP	BCDO10014
16.0	FBL-AO-37-16ST-RP	BCDO10015 *

Diameter ϕ 4.2 Unit: mm		
Length	Product Name	Product Code
6.0	FBL-AO-42-6ST-RP	BCDO10016
8.0	FBL-AO-42-8ST-RP	BCDO10017
10.0	FBL-AO-42-10ST-RP	BCDO10018
12.0	FBL-AO-42-12ST-RP	BCDO10019
14.0	FBL-AO-42-14ST-RP	BCDO10020
16.0	FBL-AO-42-16ST-RP	BCDO10021 *

Length = (Intrabony Length)

* Option




Surface Treatment AO
Anode Oxidization

(Including one cover screw)

Cap

COVER SCREW

Used to protect the implant body during the non-loading period



For ϕ 3.7/4.2 Implant

Unit: mm


H	Product Name	Product Code
0.2	FBL-COVER SCR-S-RP	BCD011153
1.2	FBL-COVER SCR-M-RP	BCD011154
2.2	FBL-COVER SCR-L-RP	BCD011155



Abutment, Superstructure, Impression Parts (Abutment Level)

SPLINT ABUTMENT STRAIGHT-TYPE

Superstructure parts that are compatible with screw-fixation prosthesis



For ϕ 3.7/4.2 Implant Unit: mm

GH	Product Name	Product Code
1.0	FBL-SP AB-ST-1.0-RP	BCD011600
2.0	FBL-SP AB-ST-2.0-RP	BCD011601
3.0	FBL-SP AB-ST-3.0-RP	BCD011602
4.0	FBL-SP AB-ST-4.0-RP	BCD011603
5.0	FBL-SP AB-ST-5.0-RP	BCD011604



(Including one splint abutment screw)

SPLINT ABUTMENT SCREW

Abutment screw for splint abutment (straight-type)



For ϕ 3.7/4.2 Implant Unit: mm


Product Name	Product Code
FBL-SP AB SCR-1.0-RP	BCD011615
FBL-SP AB SCR-2.0-RP	BCD011616
FBL-SP AB SCR-3.0-RP	BCD011617
FBL-SP AB SCR-4.0-RP	BCD011618
FBL-SP AB SCR-5.0-RP	BCD011619



(Select the screw that is compatible with the straight-type splint abutment GH.)

SPLINT ABUTMENT 17°

Superstructure parts that are compatible with screw-fixation prosthesis. The inclination direction of the post is positioned at the corner of the hexagonal implant .



For Φ 3.7/4.2 Implant Unit: mm


GH	Product Name	Product Code
2.5	FBL-SP AB-A17-2.5-RP	BCD011630
3.5	FBL-SP AB-A17-3.5-RP	BCD011631
4.5	FBL-SP AB-A17-4.5-RP	BCD011632



(Including one splint abutment angle screw)

SPLINT ABUTMENT 30°

Superstructure parts that are compatible with screw-fixation prosthesis. The inclination direction of the post is positioned at the corner of the hexagonal implant .



For Φ 3.7/4.2 Implant Unit: mm

GH	Product Name	Product Code
3.5	FBL-SP AB-A30-3.5-RP	BCD011635
4.5	FBL-SP AB-A30-4.5-RP	BCD011636



(Including one splint abutment angle screw)

SPLINT ABUTMENT ANGLE SCREW

Abutment screw for splint abutment (17°, 30°)

For Φ 3.7/4.2 Implant Unit: mm

Product Name	Product Code
FBL-SP AB-AN SCR-RP	BCD011640




Abutment, Superstructure, Impression Parts (Abutment Level)

SPLINT HEALING CAP

Attached to splint abutment until the final prosthesis is fabricated

For ϕ 3.7/4.2 Implant		Unit: mm
Product Name	Product Code	
FBL-SP HEAL CAP	BCD011655	

(Including one cylinder screw)



TEMPORARY CYLINDER ST

Combined with splint abutment to create temporary prosthesis

For ϕ 3.7/4.2 Implant		Unit: mm
Product Name	Product Code	
FBL-T CYLINDER-ST	BCD011650	

(Including one cylinder screw)

(for single crown)



TEMPORARY CYLINDER R

Combined with splint abutment to create temporary prosthesis

For ϕ 3.7/4.2 Implant		Unit: mm
Product Name	Product Code	
FBL-T CYLINDER-R	BCD011651	

(Including one cylinder screw)

(for bridge)



GOLD CYLINDER ST

Combined with splint abutment to create screw-fixation prosthesis

For $\phi 3.7/4.2$ Implant		Unit: mm
Product Name	Product Code	
FBL-G CYLINDER-ST	BCD011646	
(Including one cylinder screw)	(for single crown)	



GOLD CYLINDER R

Combined with splint abutment to create screw-fixation prosthesis


For $\phi 3.7/4.2$ Implant		Unit: mm
Product Name	Product Code	
FBL-G CYLINDER-R	BCD011647	
(Including one cylinder screw)	(for bridge)	



CYLINDER SCREW

The splint healing cap, the prosthesis fabricated with the gold cylinder or temporary cylinder is secured to the splint abutment.

For $\phi 3.7/4.2$ Implant		Unit: mm
Product Name	Product Code	
FBL-CYLINDER SCR	BCD011645	



Abutment, Superstructure, Impression Parts (Abutment Level)

TRANSFER COPING ST FOR SPLINT ABUTMENT

For indirect impression taking (open tray)

For ϕ 3.7/4.2 Implant		Unit: mm	
H	H	Product Name	Product Code
16.0(SS)	21.0(SL)	FBL-SP T COP-ST-S	BCD011520
20.0(LS)	25.0(LL)	FBL-SP T COP-ST-L	BCD011522




(Including S and L screws for transfer coping) (1pc each)

(for single crown)

TRANSFER COPING R FOR SPLINT ABUTMENT

For indirect impression taking (open tray)

For ϕ 3.7/4.2 Implant		Unit: mm	
H	H	Product Name	Product Code
16.0(SS)	21.0(SL)	FBL-SP T COP-R-S	BCD011521
20.0(LS)	25.0(LL)	FBL-SP T COP-R-L	BCD011523



(Including S and L screws for transfer coping) (1pc each)

(for bridge)


IMPRESSION POST ST FOR SPLINT ABUTMENT

For indirect impression taking (closed tray)

For Φ 3.7/4.2 Implant		Unit: mm
Product Name	Product Code	
FBL-SP IMP POST-ST	BCD011530	

(for single crown)

(Including one screw for impression post)
(Impression driver used)



IMPRESSION POST R FOR SPLINT ABUTMENT

For indirect impression taking (closed tray)

For Φ 3.7/4.2 Implant		Unit: mm
Product Name	Product Code	
FBL-SP IMP POST-R	BCD011531	

(for bridge)

(Including one screw for impression post)
(Impression driver used)



IMPRESSION DRIVER

Used to tighten or remove the screw for impression post

For Φ 3.7/4.2 Implant		Unit: mm
Product Name	Product Code	
F-IMPRESSION DRIVER	BCDI11315	



Abutment, Superstructure, Impression Parts (Abutment Level)

SCAN BODY FOR SPLINT ABUTMENT

For digital impression taking (for straight-type splint abutment)

For ϕ 3.7/4.2 Implant		Unit: mm
Product Name	Product Code	
FBL-SP SCANBODY	BCD011455	

(Cylinder screw sold separately)



NP

RP

WP


INSTRUMENTS

FINESIA BL

Abutment, Superstructure, Impression Parts (Implant Level)

HEALING ABUTMENT

To allow healing of alveolar mucosa.



For $\phi 3.7/4.2$ Implant


Unit: mm

H	Product Name	Product Code
2.0	FBL-HEAL AB-2.0-RP	BCD011190
3.0	FBL-HEAL AB-3.0-RP	BCD011191
4.0	FBL-HEAL AB-4.0-RP	BCD011192
5.0	FBL-HEAL AB-5.0-RP	BCD011193
6.0	FBL-HEAL AB-6.0-RP	BCD011194



HEALING ABUTMENT WIDE

To allow healing of alveolar mucosa.



For $\phi 3.7/4.2$ Implant

Unit: mm

H	Product Name	Product Code
2.0	FBL-HEAL AB W-2.0-RP	BCD011220
3.0	FBL-HEAL AB W-3.0-RP	BCD011221
4.0	FBL-HEAL AB W-4.0-RP	BCD011222
5.0	FBL-HEAL AB W-5.0-RP	BCD011223
6.0	FBL-HEAL AB W-6.0-RP	BCD011224




CUSTOM HEALING ABUTMENT

Create the optimized emergence profile of the final crown expected alveolar mucosa by forming resin

For $\phi 3.7/4.2$ Implant

Unit: mm


Product Name	Product Code
FBL-CUS HEAL AB-RP	BCD011241



(Including one abutment screw)

TEMPORARY ABUTMENT ST

Create a provisional crown by forming resin.



For ϕ 3.7/4.2 Implant Unit: mm

W	GH	Product Name	Product Code
4.1	0.7	FBL-TEMP AB-1.0ST-RP	BCD011294
4.5	2.0	FBL-TEMP AB-2.0ST-RP	BCD011295
	3.0	FBL-TEMP AB-3.0ST-RP	BCD011296
	4.0	FBL-TEMP AB-4.0ST-RP	BCD011297
	5.0	FBL-TEMP AB-5.0ST-RP	BCD011298




(Including one abutment screw)

(for single crown)

TEMPORARY ABUTMENT R

Create a provisional crown by forming resin.



For ϕ 3.7/4.2 Implant Unit: mm

W	GH	Product Name	Product Code
4.1	0.7	FBL-TEMP AB-1.0R-RP	BCD011309
4.5	2.0	FBL-TEMP AB-2.0R-RP	BCD011310
	3.0	FBL-TEMP AB-3.0R-RP	BCD011311
	4.0	FBL-TEMP AB-4.0R-RP	BCD011312
	5.0	FBL-TEMP AB-5.0R-RP	BCD011313



(Including one abutment screw)


(for bridge)

TITANIUM-BASED ABUTMENT ST

Consolidated with CAD/CAM to produce zirconia abutment

For ϕ3.7/4.2 Implant		Unit: mm
Product Name	Product Code	
FBL-TI BASE AB-ST-RP	BCD011381	

(Including one abutment screw)




CAST-ON ABUTMENT ST

This abutment has a high degree of freedom and a wide application range. Therefore, custom abutments and screw-fixation superstructures can be produced with high precision.

For ϕ3.7/4.2 Implant		Unit: mm
Product Name	Product Code	
FBL-CAST ON AB-ST-RP	BCD011387	

(Including one abutment screw)




CAST-ON ABUTMENT R

This abutment has a high degree of freedom and a wide application range. Therefore, custom abutments and screw-fixation superstructures can be produced with high precision.

For ϕ3.7/4.2 Implant		Unit: mm
Product Name	Product Code	
FBL-CAST ON AB-R-RP	BCD011390	


(Including one abutment screw)



Abutment, Superstructure, Impression Parts (Implant Level)

POST ABUTMENT

Attached to the implant body for direct cementation of the prosthesis




For ϕ 3.7/4.2 Implant Unit: mm

GH	H	Product Name	Product Code
1.0	4.1	FBL-POST AB-1.0S-RP	BCD011015
2.0		FBL-POST AB-2.0S-RP	BCD011016
3.0		FBL-POST AB-3.0S-RP	BCD011017
4.0		FBL-POST AB-4.0S-RP	BCD011018
5.0		FBL-POST AB-5.0S-RP	BCD011019
1.0	5.6	FBL-POST AB-1.0M-RP	BCD011020
2.0		FBL-POST AB-2.0M-RP	BCD011021
3.0		FBL-POST AB-3.0M-RP	BCD011022
4.0		FBL-POST AB-4.0M-RP	BCD011023
5.0		FBL-POST AB-5.0M-RP	BCD011024

(Including one abutment screw)

POST ABUTMENT WIDE

Attached to the implant body for direct cementation of the prosthesis




For ϕ 3.7/4.2 Implant Unit: mm

GH	Product Name	Product Code
1.0	FBL-POSTAB W-1.0M-RP	BCD011065
2.0	FBL-POSTAB W-2.0M-RP	BCD011066
3.0	FBL-POSTAB W-3.0M-RP	BCD011067
4.0	FBL-POSTAB W-4.0M-RP	BCD011068
5.0	FBL-POSTAB W-5.0M-RP	BCD011069

(Including one abutment screw)

ANGLE ABUTMENT

Attached to the implant body for direct cementation of the prosthesis.
It allows grinding to make a custom configuration according to each case.
The inclination direction of the post is positioned at the corner of the hexagonal implant.



For Φ 3.7/4.2 Implant

Unit: mm


H1	H2	Product Name	Product Code
1.6	1.9	FBL-ANGLE AB-1.9-RP	BCD011104
2.6	2.9	FBL-ANGLE AB-2.9-RP	BCD011105
3.6	3.9	FBL-ANGLE AB-3.9-RP	BCD011106
4.6	4.9	FBL-ANGLE AB-4.9-RP	BCD011107



(Including one abutment screw)

ANGLE ABUTMENT WIDE

Attached to the implant body for direct cementation of the prosthesis.
It allows grinding to make a custom configuration according to each case.
The inclination direction of the post is positioned at the corner of the hexagonal implant.



For Φ 3.7/4.2 Implant

Unit: mm

H1	H2	Product Name	Product Code
1.6	1.9	FBL-ANGLEAB W-1.9-RP	BCD011116
2.6	2.9	FBL-ANGLEAB W-2.9-RP	BCD011117
3.6	3.9	FBL-ANGLEAB W-3.9-RP	BCD011118
4.6	4.9	FBL-ANGLEAB W-4.9-RP	BCD011119




(Including one abutment screw)

Abutment, Superstructure, Impression Parts (Abutment Level)

PREPABLE ABUTMENT

Attached to the implant for direct cementation of the prosthesis.
It allows grinding to make a custom configuration according to each case.



For ϕ 3.7/4.2 Implant

Unit: mm


GH	Product Name	Product Code
1.0	FBL-PREP AB-1.0-RP	BCD011255
2.0	FBL-PREP AB-2.0-RP	BCD011256
3.0	FBL-PREP AB-3.0-RP	BCD011257
4.0	FBL-PREP AB-4.0-RP	BCD011258
5.0	FBL-PREP AB-5.0-RP	BCD011259



(Including one abutment screw)

PREPABLE ABUTMENT WIDE

Attached to the implant for direct cementation of the prosthesis.
It allows grinding to make a custom configuration according to each case.



For ϕ 3.7/4.2 Implant

Unit: mm

GH	Product Name	Product Code
1.0	FBL-PREP AB W-1.0-RP	BCD011270
2.0	FBL-PREP AB W-2.0-RP	BCD011271
3.0	FBL-PREP AB W-3.0-RP	BCD011272
4.0	FBL-PREP AB W-4.0-RP	BCD011273
5.0	FBL-PREP AB W-5.0-RP	BCD011274



(Including one abutment screw)

ABUTMENT SCREW

Screw for superstructures used for the FINESIA BL system (except for splint abutment)

For $\Phi 3.7/4.2$ Implant		Unit: mm
Product Name	Product Code	
FBL-AB SCR-RP-2L	BCD011134	



BALL ABUTMENT

Attached to the implant body to create overdenture with ball attachments.



For $\Phi 3.7/4.2$ Implant		Unit: mm
GH	Product Name	Product Code
1.0	FBL-BALL AB-1.0-RP	BCD011350
3.0	FBL-BALL AB-3.0-RP	BCD011352
5.0	FBL-BALL AB-5.0-RP	BCD011354



Abutment, Superstructure, Impression Parts (Abutment Level)

NP

RP

WP

INSTRUMENTS

FINESIA BL


TRANSFER COPING ST

For indirect impression taking (open tray)

For ϕ 3.7/4.2 Implant			Unit: mm
H	H	Product Name	Product Code
16.0(SS)	21.0(SL)	FBL-T COP-RP-ST-S	BCD011464
22.0(LS)	27.0(LL)	FBL-T COP-RP-ST-L	BCD011466

(Including S and L screws for transfer coping) (1pc each)

(for single crown)




TRANSFER COPING R

For indirect impression taking (open tray)

For ϕ 3.7/4.2 Implant			Unit: mm
H	H	Product Name	Product Code
16.0(SS)	21.0(SL)	FBL-T COP-RP-R-S	BCD011465
22.0(LS)	27.0(LL)	FBL-T COP-RP-R-L	BCD011467

(Including S and L screws for transfer coping) (1pc each)

(for bridge)




Abutment, Superstructure, Impression Parts (Abutment Level)

NP
RP
WP
INSTRUMENTS
FINESIA BL

IMPRESSION POST

For indirect impression taking (closed tray)



For ϕ 3.7/4.2 Implant			Unit: mm
H	Product Name	Product Code	
11.1	FBL-IMP POST-RP-S	BCD011502	
14.1	FBL-IMP POST-RP-L	BCD011503	

(Including one screw for impression post)
[Used in combination with impression cap (sold separately)]

IMPRESSION CAP

(impression cap for impression post)

For ϕ 3.7/4.2 Implant	
Product Name	Product Code
F-IMPRESSION CAP	BCD011535




(Including four pieces) (for single use)

SCAN BODY

For digital impression taking

For ϕ 3.7/4.2 Implant		Unit: mm
Product Name	Product Code	
FBL-SCANBODY-RP	BCD011451	




(Abutment screw sold separately)

Laboratory Work Parts

ANALOG FOR SPLINT ABUTMENT


Used in laboratory work model as a dummy implant for the fabrication of prosthesis

For ϕ 3.7/4.2 Implant		Unit: mm
Product Name	Product Code	
FBL-SP ANALOG-L	BCD011411	



LAB SCREW FOR SPLINT ABUTMENT

Screw for laboratory work, used during the fabrication of prosthesis on analog model




For ϕ 3.7/4.2 Implant				Unit: mm
H1	H2	Product Name	Product Code	
3.3	1.3	FBL-SP LABSCREW-1.3L	BCD011440	
12.0	10.0	FBL-SP LABSCREW-10L	BCD011441	
17.0	15.0	FBL-SP LABSCREW-15L	BCD011442	
22.0	20.0	FBL-SP LABSCREW-20L	BCD011443	



ANALOG RP


Used in laboratory work model as a dummy implant for the fabrication of prosthesis

For ϕ 3.7/4.2 Implant		Unit: mm
Product Name	Product Code	
FBL-ANALOG-RP-L	BCD011404	



LAB SCREW RP

Screw for laboratory work, used during the fabrication of prosthesis on analog model



For ϕ 3.7/4.2 Implant				Unit: mm
H1	H2	Product Name	Product Code	
7.4	2.0	FBL-LAB SCR-RP-2.0L	BCD011424	
15.4	10.0	FBL-LAB SCR-RP-10L	BCD011425	
20.4	15.0	FBL-LAB SCR-RP-15L	BCD011426	
25.4	20.0	FBL-LAB SCR-RP-20L	BCD011427	

BALL ABUTMENT ANALOG

Used in laboratory work model as a dummy implant for the fabrication of prosthesis

For ϕ 3.7/4.2 Implant		Unit: mm
Product Name	Product Code	
F-BALL AB ANALOG	BCD011415	



Bone Level


WP

Wide Platform

ϕ 4.7 ϕ 5.2

Implant

NP
RP
WP
INSTRUMENTS
FINESIA BL



BL HA TP WP


Tapered type

Diameter		ϕ 4.7		Unit: mm
Length	HA	Product Name	Product Code	
8.0	6.0	FBL-HA-47-8TP-WP	BCDO10128	
10.0	8.0	FBL-HA-47-10TP-WP	BCDO10129	
12.0	10.0	FBL-HA-47-12TP-WP	BCDO10130	
14.0	12.0	FBL-HA-47-14TP-WP	BCDO10131	
16.0	14.0	FBL-HA-47-16TP-WP	BCDO10132 [*]	

Diameter		ϕ 5.2		Unit: mm
Length	HA	Product Name	Product Code	
8.0	6.0	FBL-HA-52-8TP-WP	BCDO10134	
10.0	8.0	FBL-HA-52-10TP-WP	BCDO10135	
12.0	10.0	FBL-HA-52-12TP-WP	BCDO10136	
14.0	12.0	FBL-HA-52-14TP-WP	BCDO10137 [*]	
16.0	14.0	FBL-HA-52-16TP-WP	BCDO10138 [*]	

Length = (Intrabony Length)

^{*} Option



BL HA ST WP

Straight type

Diameter		ϕ 4.7		Unit: mm
Length	HA	Product Name	Product Code	
6.0	4.0	FBL-HA-47-6ST-WP	BCDO10097	
8.0	6.0	FBL-HA-47-8ST-WP	BCDO10098	
10.0	8.0	FBL-HA-47-10ST-WP	BCDO10099	
12.0	10.0	FBL-HA-47-12ST-WP	BCDO10100	
14.0	12.0	FBL-HA-47-14ST-WP	BCDO10101	
16.0	14.0	FBL-HA-47-16ST-WP	BCDO10102 [*]	

Diameter		ϕ 5.2		Unit: mm
Length	HA	Product Name	Product Code	
6.0	4.0	FBL-HA-52-6ST-WP	BCDO10103	
8.0	6.0	FBL-HA-52-8ST-WP	BCDO10104	
10.0	8.0	FBL-HA-52-10ST-WP	BCDO10105	
12.0	10.0	FBL-HA-52-12ST-WP	BCDO10106	
14.0	12.0	FBL-HA-52-14ST-WP	BCDO10107 [*]	
16.0	14.0	FBL-HA-52-16ST-WP	BCDO10108 [*]	


Length = (Intrabony Length)

^{*} Option



Surface Treatment **HA**
Hydroxyapatite Coating

(Including one cover screw)



BL AO TP WP


Tapered type

Diameter ϕ 4.7 Unit: mm		
Length	Product Name	Product Code
8.0	FBL-AO-47-8TP-WP	BCD010063
10.0	FBL-AO-47-10TP-WP	BCD010064
12.0	FBL-AO-47-12TP-WP	BCD010065
14.0	FBL-AO-47-14TP-WP	BCD010066
16.0	FBL-AO-47-16TP-WP	BCD010067 [*]

Diameter ϕ 5.2 Unit: mm		
Length	Product Name	Product Code
8.0	FBL-AO-52-8TP-WP	BCD010069
10.0	FBL-AO-52-10TP-WP	BCD010070
12.0	FBL-AO-52-12TP-WP	BCD010071
14.0	FBL-AO-52-14TP-WP	BCD010072 [*]
16.0	FBL-AO-52-16TP-WP	BCD010073 [*]

Length = (Intrabony Length)

^{*} Option



BL AO ST WP

Straight type

Diameter ϕ 4.7 Unit: mm		
Length	Product Name	Product Code
6.0	FBL-AO-47-6ST-WP	BCD010022
8.0	FBL-AO-47-8ST-WP	BCD010023
10.0	FBL-AO-47-10ST-WP	BCD010024
12.0	FBL-AO-47-12ST-WP	BCD010025
14.0	FBL-AO-47-14ST-WP	BCD010026
16.0	FBL-AO-47-16ST-WP	BCD010027 [*]

Diameter ϕ 5.2 Unit: mm		
Length	Product Name	Product Code
6.0	FBL-AO-52-6ST-WP	BCD010028
8.0	FBL-AO-52-8ST-WP	BCD010029
10.0	FBL-AO-52-10ST-WP	BCD010030
12.0	FBL-AO-52-12ST-WP	BCD010031
14.0	FBL-AO-52-14ST-WP	BCD010032 [*]
16.0	FBL-AO-52-16ST-WP	BCD010033 [*]

Length = (Intrabony Length)

^{*} Option




Surface Treatment **AO**
Anode Oxidization

(Including one cover screw)

Cap

COVER SCREW

Used to protect the implant body during the non-loading period



For $\Phi 4.7/5.2$ Implant Unit: mm

H	Product Name	Product Code
0.2	FBL-COVER SCR-S-WP	BCD011156
1.2	FBL-COVER SCR-M-WP	BCD011157
2.2	FBL-COVER SCR-L-WP	BCD011158




Abutment, Superstructure, Impression Parts (Abutment Level)

NP
RP
WP
INSTRUMENTS
FINESIA BL

SPLINT ABUTMENT STRAIGHT-TYPE

Superstructure parts that are compatible with screw-fixation prosthesis



For ϕ 4.7/5.2 Implant Unit: mm

GH	Product Name	Product Code
1.0	FBL-SP AB-ST-1.0-WP	BCD011605
2.0	FBL-SP AB-ST-2.0-WP	BCD011606
3.0	FBL-SP AB-ST-3.0-WP	BCD011607
4.0	FBL-SP AB-ST-4.0-WP	BCD011608
5.0	FBL-SP AB-ST-5.0-WP	BCD011609



(Including one splint abutment screw)

SPLINT ABUTMENT SCREW

Abutment screw for splint abutment (straight-type)



For ϕ 4.7/5.2 Implant Unit: mm


Product Name	Product Code
FBL-SP AB SCR-1.0-WP	BCD011620
FBL-SP AB SCR-2.0-WP	BCD011621
FBL-SP AB SCR-3.0-WP	BCD011622
FBL-SP AB SCR-4.0-WP	BCD011623
FBL-SP AB SCR-5.0-WP	BCD011624



(Select the screw that is compatible with the straight-type splint abutment GH.)

SPLINT ABUTMENT 17°

Superstructure parts that are compatible with screw-fixation prosthesis. The inclination direction of the post is positioned at the corner of the hexagonal implant.



For Φ 4.7/5.2 Implant

Unit: mm


GH	Product Name	Product Code
3.5	FBL-SP AB-A17-3.5-WP	BCD011633
4.5	FBL-SP AB-A17-4.5-WP	BCD011634



(Including one splint abutment angle screw)

SPLINT ABUTMENT 30°

Superstructure parts that are compatible with screw-fixation prosthesis. The inclination direction of the post is positioned at the corner of the hexagonal implant.



For Φ 4.7/5.2 Implant

Unit: mm

GH	Product Name	Product Code
3.5	FBL-SP AB-A30-3.5-WP	BCD011637
4.5	FBL-SP AB-A30-4.5-WP	BCD011638



(Including one splint abutment angle screw)


SPLINT ABUTMENT ANGLE SCREW

Abutment screw for splint abutment (17°, 30 °)

For Φ 4.7/5.2 Implant

Unit: mm

Product Name	Product Code
FBL-SP AB-AN SCR-WP	BCD011641




Abutment, Superstructure, Impression Parts (Abutment Level)

SPLINT HEALING CAP

Attached to splint abutment until the final prosthesis is fabricated

For $\phi 4.7/5.2$ Implant		Unit: mm
Product Name	Product Code	
FBL-SP HEAL CAP	BCD011655	

(Including one cylinder screw)




TEMPORARY CYLINDER ST

Combined with splint abutment to create temporary prosthesis

For $\phi 4.7/5.2$ Implant		Unit: mm
Product Name	Product Code	
FBL-T CYLINDER-ST	BCD011650	

(Including one cylinder screw)

(for single crown)



TEMPORARY CYLINDER R

Combined with splint abutment to create temporary prosthesis

For $\phi 4.7/5.2$ Implant		Unit: mm
Product Name	Product Code	
FBL-T CYLINDER-R	BCD011651	

(Including one cylinder screw)

(for bridge)



GOLD CYLINDER ST

Combined with splint abutment to create screw-fixation prosthesis

For ϕ 4.7/5.2 Implant		Unit: mm
Product Name	Product Code	
FBL-G CYLINDER-ST	BCD011646	
(Including one cylinder screw)	(for single crown)	



GOLD CYLINDER R

Combined with splint abutment to create screw-fixation prosthesis

For ϕ 4.7/5.2 Implant		Unit: mm
Product Name	Product Code	
FBL-G CYLINDER-R	BCD011647	
(Including one cylinder screw)	(for bridge)	



CYLINDER SCREW

The splint healing cap, the prosthesis fabricated with the gold cylinder or temporary cylinder is secured to the splint abutment.

For ϕ 4.7/5.2 Implant		Unit: mm
Product Name	Product Code	
FBL-CYLINDER SCR	BCD011645	



Abutment, Superstructure, Impression Parts (Abutment Level)


TRANSFER COPING ST FOR SPLINT ABUTMENT

For indirect impression taking (open tray)

For ϕ 4.7/5.2 Implant		Unit: mm	
H	H	Product Name	Product Code
16.0(SS)	21.0(SL)	FBL-SP T COP-ST-S	BCD011520
20.0(LS)	25.0(LL)	FBL-SP T COP-ST-L	BCD011522

(Including S and L screws for transfer coping) (1pc each)

(for single crown)




TRANSFER COPING R FOR SPLINT ABUTMENT

For indirect impression taking (open tray)

For ϕ 4.7/5.2 Implant		Unit: mm	
H	H	Product Name	Product Code
16.0(SS)	21.0(SL)	FBL-SP T COP-R-S	BCD011521
20.0(LS)	25.0(LL)	FBL-SP T COP-R-L	BCD011523

(Including S and L screws for transfer coping) (1pc each)

(for bridge)



IMPRESSION POST ST FOR SPLINT ABUTMENT


For indirect impression taking (closed tray)

For ϕ 4.7/5.2 Implant		Unit: mm
Product Name	Product Code	
FBL-SP IMP POST-ST	BCD011530	

(for single crown)

(Including one screw for impression post for splint abutment)

(Impression driver used)



IMPRESSION POST R FOR SPLINT ABUTMENT

For indirect impression taking (closed tray)

For ϕ 4.7/5.2 Implant		Unit: mm
Product Name	Product Code	
FBL-SP IMP POST-R	BCD011531	

(for bridge)

(Including one screw for impression post for splint abutment)


(Impression driver used)



IMPRESSION DRIVER

Used to tighten or loosen the screw for impression post

For ϕ 4.7/5.2 Implant		Unit: mm
Product Name	Product Code	
F-IMPRESSION DRIVER	BCD111315	



Abutment, Superstructure, Impression Parts (Abutment Level)

SCAN BODY FOR SPLINT ABUTMENT

Parts for digital impression taking (for straight-type splint abutment)

For ϕ 4.7/5.2 Implant		Unit: mm
Product Name	Product Code	
FBL-SP SCANBODY	BCD011455	

(Cylinder screw sold separately)



Abutment, Superstructure, Impression Parts (Implant Level)

NP
RP
WP
INSTRUMENTS
FINESIA BL

HEALING ABUTMENT


Heals the alveolar mucosa.



For $\phi 4.7/5.2$ Implant			Unit: mm
H	Product Name	Product Code	
2.0	FBL-HEAL AB-2.0-WP	BCD011200	
3.0	FBL-HEAL AB-3.0-WP	BCD011201	
4.0	FBL-HEAL AB-4.0-WP	BCD011202	
5.0	FBL-HEAL AB-5.0-WP	BCD011203	
6.0	FBL-HEAL AB-6.0-WP	BCD011204	

HEALING ABUTMENT WIDE

Heals the alveolar mucosa.




For $\phi 4.7/5.2$ Implant			Unit: mm
H	Product Name	Product Code	
2.0	FBL-HEAL AB W-2.0-WP	BCD011230	
3.0	FBL-HEAL AB W-3.0-WP	BCD011231	
4.0	FBL-HEAL AB W-4.0-WP	BCD011232	
5.0	FBL-HEAL AB W-5.0-WP	BCD011233	
6.0	FBL-HEAL AB W-6.0-WP	BCD011234	

CUSTOM HEALING ABUTMENT

Create the optimized emergence profile of the final crown expected alveolar mucosa by forming resin.


For $\phi 4.7/5.2$ Implant		Unit: mm
Product Name	Product Code	
FBL-CUS HEAL AB-WP	BCD011242	



(Including one abutment screw)

TEMPORARY ABUTMENT ST

Create a provisional crown by forming resin.



For $\phi 4.7/5.2$ Implant

Unit: mm

W	GH	Product Name	Product Code
5.2	0.7	FBL-TEMP AB-1.0ST-WP	BCD011299
	2.0	FBL-TEMP AB-2.0ST-WP	BCD011300
5.5	3.0	FBL-TEMP AB-3.0ST-WP	BCD011301
	4.0	FBL-TEMP AB-4.0ST-WP	BCD011302
	5.0	FBL-TEMP AB-5.0ST-WP	BCD011303




(Including one abutment screw)

(for single crown)

TEMPORARY ABUTMENT R

Create a provisional crown by forming resin.



For $\phi 4.7/5.2$ Implant

Unit: mm

W	GH	Product Name	Product Code
5.2	0.7	FBL-TEMP AB-1.0R-WP	BCD011314
	2.0	FBL-TEMP AB-2.0R-WP	BCD011315
5.5	3.0	FBL-TEMP AB-3.0R-WP	BCD011316
	4.0	FBL-TEMP AB-4.0R-WP	BCD011317
	5.0	FBL-TEMP AB-5.0R-WP	BCD011318



(Including one abutment screw)


(for bridge)

TITANIUM-BASED ABUTMENT ST

Consolidated with CAD/CAM to produce zirconia abutment

For ϕ 4.7/5.2 Implant		Unit: mm
Product Name	Product Code	
FBL-TI BASE AB-ST-WP	BCD011382	

(Including one abutment screw)




CAST-ON ABUTMENT ST

This abutment has a high degree of freedom and a wide application range. Therefore, custom abutments and screw-fixation superstructures can be produced with high precision.

For ϕ 4.7/5.2 Implant		Unit: mm
Product Name	Product Code	
FBL-CAST ON AB-ST-WP	BCD011388	

(Including one abutment screw)




CAST-ON ABUTMENT R

This abutment has a high degree of freedom and a wide application range. Therefore, custom abutments and screw-fixation superstructures can be produced with high precision.

For ϕ 4.7/5.2 Implant		Unit: mm
Product Name	Product Code	
FBL-CAST ON AB-R-WP	BCD011391	


(Including one abutment screw)



Abutment, Superstructure, Impression Parts (Implant Level)

POST ABUTMENT

Attached to the implant for direct cementation of the prosthesis




For ϕ 4.7/5.2 Implant Unit: mm

GH	H	Product Name	Product Code
1.0	4.1	FBL-POST AB-1.0S-WP	BCD011030
2.0		FBL-POST AB-2.0S-WP	BCD011031
3.0		FBL-POST AB-3.0S-WP	BCD011032
4.0		FBL-POST AB-4.0S-WP	BCD011033
5.0		FBL-POST AB-5.0S-WP	BCD011034
1.0	5.6	FBL-POST AB-1.0M-WP	BCD011035
2.0		FBL-POST AB-2.0M-WP	BCD011036
3.0		FBL-POST AB-3.0M-WP	BCD011037
4.0		FBL-POST AB-4.0M-WP	BCD011038
5.0		FBL-POST AB-5.0M-WP	BCD011039

(Including one abutment screw)

POST ABUTMENT WIDE

Attached to the implant body for direct cementation of the prosthesis




For ϕ 4.7/5.2 Implant Unit: mm

GH	Product Name	Product Code
1.0	FBL-POSTAB W-1.0M-WP	BCD011080
2.0	FBL-POSTAB W-2.0M-WP	BCD011081
3.0	FBL-POSTAB W-3.0M-WP	BCD011082
4.0	FBL-POSTAB W-4.0M-WP	BCD011083
5.0	FBL-POSTAB W-5.0M-WP	BCD011084

(Including one abutment screw)

ANGLE ABUTMENT

Attached to the implant body for direct cementation of the prosthesis.
It allows grinding to make a custom configuration according to each case.
The inclination direction of the post is positioned at the corner of the hexagonal implant.



For $\Phi 4.7/5.2$ Implant

Unit: mm


H1	H2	Product Name	Product Code
1.6	1.9	FBL-ANGLE AB-1.9-WP	BCD011108
2.6	2.9	FBL-ANGLE AB-2.9-WP	BCD011109
3.6	3.9	FBL-ANGLE AB-3.9-WP	BCD011110
4.6	4.9	FBL-ANGLE AB-4.9-WP	BCD011111



(Including one abutment screw)

ANGLE ABUTMENT WIDE

Attached to the implant body for direct cementation of the prosthesis.
It allows grinding to make a custom configuration according to each case.
The inclination direction of the post is positioned at the corner of the hexagonal implant.



For $\Phi 4.7/5.2$ Implant

Unit: mm

H1	H2	Product Name	Product Code
1.6	1.9	FBL-ANGLEAB W-1.9-WP	BCD011120
2.6	2.9	FBL-ANGLEAB W-2.9-WP	BCD011121
3.6	3.9	FBL-ANGLEAB W-3.9-WP	BCD011122
4.6	4.9	FBL-ANGLEAB W-4.9-WP	BCD011123




(Including one abutment screw)

Abutment, Superstructure, Impression Parts (Implant Level)

PREPABLE ABUTMENT

Attached to the implant body for direct cementation of the prosthesis. It allows grinding to make a custom configuration according to each case.



For ϕ 4.7/5.2 Implant Unit: mm


GH	Product Name	Product Code
1.0	FBL-PREP AB-1.0-WP	BCD011260
2.0	FBL-PREP AB-2.0-WP	BCD011261
3.0	FBL-PREP AB-3.0-WP	BCD011262
4.0	FBL-PREP AB-4.0-WP	BCD011263
5.0	FBL-PREP AB-5.0-WP	BCD011264



(Including one abutment screw)

PREPABLE ABUTMENT WIDE

Attached to the implant body for direct cementation of the prosthesis. It allows grinding to make a custom configuration according to each case.



For ϕ 4.7/5.2 Implant Unit: mm

GH	Product Name	Product Code
1.0	FBL-PREP AB W-1.0-WP	BCD011275
2.0	FBL-PREP AB W-2.0-WP	BCD011276
3.0	FBL-PREP AB W-3.0-WP	BCD011277
4.0	FBL-PREP AB W-4.0-WP	BCD011278
5.0	FBL-PREP AB W-5.0-WP	BCD011279




(Including one abutment screw)

ABUTMENT SCREW

Screw for superstructures used for the FINESIA BL system (except for splint abutment)

For $\phi 4.7/5.2$ Implant		Unit: mm
Product Name	Product Code	
FBL-AB SCR-WP-2L	BCD011138	



BALL ABUTMENT

Attached to the implant body to create overdenture with ball attachments.



For $\phi 4.7/5.2$ Implant			Unit: mm
GH	Product Name	Product Code	
1.0	FBL-BALL AB-1.0-WP	BCD011356	
3.0	FBL-BALL AB-3.0-WP	BCD011358	
5.0	FBL-BALL AB-5.0-WP	BCD011360	



Abutment, Superstructure, Impression Parts (Implant Level)

NP

RP

WP

INSTRUMENTS

FINESIA BL


TRANSFER COPING ST

For indirect impression taking (open tray)

For ϕ 4.7/5.2 Implant			Unit: mm
H	H	Product Name	Product Code
16.0(SS)	21.0(SL)	FBL-T COP-WP-ST-S	BCD011468
22.0(LS)	27.0(LL)	FBL-T COP-WP-ST-L	BCD011470

(Including S and L screws for transfer coping) (1pc each)

(for single crown)




TRANSFER COPING R

For indirect impression taking (open tray)

For ϕ 4.7/5.2 Implant			Unit: mm
H	H	Product Name	Product Code
16.0(SS)	21.0(SL)	FBL-T COP-WP-R-S	BCD011469
22.0(LS)	27.0(LL)	FBL-T COP-WP-R-L	BCD011471

(Including S and L screws for transfer coping) (1pc each)


(for bridge)



Abutment, Superstructure, Impression Parts (Implant Level)

IMPRESSION POST

For indirect impression taking (closed tray)



For $\phi 4.7/5.2$ Implant			Unit: mm
H	Product Name	Product Code	
11.1	FBL-IMP POST-WP-S	BCD011504	
14.1	FBL-IMP POST-WP-L	BCD011505	

(Including one screw for impression post)
 [Used in combination with impression cap (sold separately)]

IMPRESSION CAP

(impression cap for impression post)

For $\phi 4.7/5.2$ Implant	
Product Name	Product Code
F-IMPRESSION CAP	BCD011535




(Including four pieces) (for single use)

SCAN BODY

For digital impression taking

For $\phi 4.7/5.2$ Implant		Unit: mm
Product Name	Product Code	
FBL-SCANBODY-WP	BCD011452	




(Abutment screw sold separately)

Laboratory Work Parts

ANALOG FOR SPLINT ABUTMENT


Used in laboratory work model as a dummy implant for the fabrication of prosthesis

For $\phi 4.7/5.2$ Implant		Unit: mm
Product Name	Product Code	
FBL-SP ANALOG-L	BCD011411	



LAB SCREW FOR SPLINT ABUTMENT

Screw for laboratory work, used during the fabrication of prosthesis on analog model




For $\phi 4.7/5.2$ Implant				Unit: mm
H1	H2	Product Name	Product Code	
3.3	1.3	FBL-SP LABSCREW-1.3L	BCD011440	
12.0	10.0	FBL-SP LABSCREW-10L	BCD011441	
17.0	15.0	FBL-SP LABSCREW-15L	BCD011442	
22.0	20.0	FBL-SP LABSCREW-20L	BCD011443	



ANALOG WP


Used in laboratory work model as a dummy implant for the fabrication of prosthesis

For $\phi 4.7/5.2$ Implant		Unit: mm
Product Name	Product Code	
FBL-ANALOG-WP-L	BCD011405	



LAB SCREW WP

Screw for laboratory work, used during the fabrication of prosthesis on analog model



For $\phi 4.7/5.2$ Implant				Unit: mm
H1	H2	Product Name	Product Code	
7.4	2.0	FBL-LAB SCR-WP-2.0L	BCD011428	
15.4	10.0	FBL-LAB SCR-WP-10L	BCD011429	
20.4	15.0	FBL-LAB SCR-WP-15L	BCD011430	
25.4	20.0	FBL-LAB SCR-WP-20L	BCD011431	

BALL ABUTMENT ANALOG

Used in laboratory work model as a dummy implant for the fabrication of prosthesis

For $\phi 4.7/5.2$ Implant		Unit: mm
Product Name	Product Code	
F-BALL AB ANALOG	BCD011415	



FINESIA

INSTRUMENTS

Instruments

NP

RP

WP

INSTRUMENTS

FINESIA BL

MARKING BUR

Used for marking the location of implant insertion

Product Name	Product Code
MARKING BUR-M	BCDI11001

Unit: mm




PILOT DRILL 16

Create pilot hole.

L1	L2	Color Code	Product Name	Product Code
34.5	18.0		PILOT DRL16-S	BCDI11002
38.5	22.0	●	PILOT DRL16-M	BCDI11003

Unit: mm




PILOT DRILL STOPPER 16

Attached to pilot drill 16 to adjust the depth of implant hole

L	Color Code	Product Name	Product Code
5.0		PD STOPPER16-5	BCDI11010
6.0		PD STOPPER16-6	BCDI11011
7.0		PD STOPPER16-7	BCDI11012
8.0		PD STOPPER16-8	BCDI11013
9.0	●	PD STOPPER16-9	BCDI11014
10.0		PD STOPPER16-10	BCDI11015
11.0		PD STOPPER16-11	BCDI11016
12.0		PD STOPPER16-12	BCDI11017

(Including one piece)

Unit: mm




TRIAL PIN

Used to check the depth and direction of the pilot hole

L	Product Name	Product Code
18.8	TRIAL PIN16-S	BCDI11140
24.8	TRIAL PIN16-M	BCDI11141

Unit: mm




PILOT DRILL 22

Create pilot hole.

L1	L2	Color Code	Product Name	Product Code
34.5	18.0		PILOT DRL22-S	BCDI11004
38.5	22.0		PILOT DRL22-M	BCDI11005

Unit: mm




PILOT DRILL STOPPER 22

Attached to pilot drill 22 to adjust the depth of implant hole

L	Color Code	Product Name	Product Code
5.0		PD STOPPER22-5	BCDI11018
6.0		PD STOPPER22-6	BCDI11019
7.0		PD STOPPER22-7	BCDI11020
8.0		PD STOPPER22-8	BCDI11021
9.0		PD STOPPER22-9	BCDI11022
10.0		PD STOPPER22-10	BCDI11023
11.0		PD STOPPER22-11	BCDI11024
12.0		PD STOPPER22-12	BCDI11025

(Including one piece)

Unit: mm





FINAL DRILL TP

Once the pilot hole is created, it is used to sequentially expand the hole to achieve the final shape.

L1	L2	W	Color Code	Product Name	Product Code
S:34.4 M:38.4	S:18.0 M:22.0	2.7		FINAL DRL30-TP-S FINAL DRL30-TP-M	BCDI11030 BCDI11031
S:34.4 M:38.4	S:18.0 M:22.0	2.9		FINAL DRL32-TP-S FINAL DRL32-TP-M	BCDI11032 BCDI11033
S:34.4 M:38.4	S:18.0 M:22.0	3.1		FINAL DRL34-TP-S FINAL DRL34-TP-M	BCDI11034 BCDI11035
S:34.4 M:38.4	S:18.0 M:22.0	3.4		FINAL DRL37-TP-S FINAL DRL37-TP-M	BCDI11036 BCDI11037
S:34.4 M:38.4	S:18.0 M:22.0	3.9		FINAL DRL42-TP-S FINAL DRL42-TP-M	BCDI11038 BCDI11039
S:34.4 M:38.4	S:18.0 M:22.0	4.4		FINAL DRL47-TP-S FINAL DRL47-TP-M	BCDI11040 BCDI11041
S:34.4 M:38.4	S:18.0 M:22.0	4.9		FINAL DRL52-TP-S FINAL DRL52-TP-M	BCDI11042 BCDI11043

Unit: mm



FINAL DRILL ST

Once the pilot hole is created, it is used to sequentially expand the hole to achieve the final shape.

L1	L2	W	Color Code	Product Name	Product Code
S:34.4 M:38.4	S:18.0 M:22.0	2.7		FINAL DRL30-ST-S FINAL DRL30-ST-M	BCDI11050 BCDI11051
S:34.4 M:38.4	S:18.0 M:22.0	2.9		FINAL DRL32-ST-S FINAL DRL32-ST-M	BCDI11052 BCDI11053
S:34.4 M:38.4	S:18.0 M:22.0	3.1		FINAL DRL34-ST-S FINAL DRL34-ST-M	BCDI11054 BCDI11055
S:34.4 M:38.4	S:18.0 M:22.0	3.4		FINAL DRL37-ST-S FINAL DRL37-ST-M	BCDI11056 BCDI11057
S:34.4 M:38.4	S:18.0 M:22.0	3.9		FINAL DRL42-ST-S FINAL DRL42-ST-M	BCDI11058 BCDI11059
S:34.4 M:38.4	S:18.0 M:22.0	4.4		FINAL DRL47-ST-S FINAL DRL47-ST-M	BCDI11060 BCDI11061
S:34.4 M:38.4	S:18.0 M:22.0	4.9		FINAL DRL52-ST-S FINAL DRL52-ST-M	BCDI11062 BCDI11063







Unit: mm



FINAL DRILL STOPPER

Attached to final drill to adjust the depth of implant hole

L	Color Code	Product Name	Product Code
5.0		FD STOPPER30-5	BCDI11080
6.0		FD STOPPER30-6	BCDI11081
7.0		FD STOPPER30-7	BCDI11082
8.0		FD STOPPER30-8	BCDI11083
9.0		FD STOPPER30-9	BCDI11084
10.0		FD STOPPER30-10	BCDI11085
11.0		FD STOPPER30-11	BCDI11086
12.0		FD STOPPER30-12	BCDI11087
<hr/>			
5.0		FD STOPPER32-5	BCDI11088
6.0		FD STOPPER32-6	BCDI11089
7.0		FD STOPPER32-7	BCDI11090
8.0		FD STOPPER32-8	BCDI11091
9.0		FD STOPPER32-9	BCDI11092
10.0		FD STOPPER32-10	BCDI11093
11.0		FD STOPPER32-11	BCDI11094
12.0		FD STOPPER32-12	BCDI11095
<hr/>			
5.0		FD STOPPER34-5	BCDI11096
6.0		FD STOPPER34-6	BCDI11097
7.0		FD STOPPER34-7	BCDI11098
8.0		FD STOPPER34-8	BCDI11099
9.0		FD STOPPER34-9	BCDI11100
10.0		FD STOPPER34-10	BCDI11101
11.0		FD STOPPER34-11	BCDI11102
12.0		FD STOPPER34-12	BCDI11103
<hr/>			
5.0		FD STOPPER37-5	BCDI11104
6.0		FD STOPPER37-6	BCDI11105
7.0		FD STOPPER37-7	BCDI11106
8.0		FD STOPPER37-8	BCDI11107
9.0		FD STOPPER37-9	BCDI11108
10.0		FD STOPPER37-10	BCDI11109
11.0		FD STOPPER37-11	BCDI11110
12.0		FD STOPPER37-12	BCDI11111
<hr/>			
5.0		FD STOPPER42-5	BCDI11112
6.0		FD STOPPER42-6	BCDI11113
7.0		FD STOPPER42-7	BCDI11114
8.0		FD STOPPER42-8	BCDI11115
9.0		FD STOPPER42-9	BCDI11116
10.0		FD STOPPER42-10	BCDI11117
11.0		FD STOPPER42-11	BCDI11118
12.0		FD STOPPER42-12	BCDI11119
<hr/>			
5.0		FD STOPPER47-5	BCDI11120
6.0		FD STOPPER47-6	BCDI11121
7.0		FD STOPPER47-7	BCDI11122
8.0		FD STOPPER47-8	BCDI11123
9.0		FD STOPPER47-9	BCDI11124
10.0		FD STOPPER47-10	BCDI11125
11.0		FD STOPPER47-11	BCDI11126
12.0		FD STOPPER47-12	BCDI11127
<hr/>			
5.0		FD STOPPER52-5	BCDI11128
6.0		FD STOPPER52-6	BCDI11129
7.0		FD STOPPER52-7	BCDI11130
8.0		FD STOPPER52-8	BCDI11131
9.0		FD STOPPER52-9	BCDI11132
10.0		FD STOPPER52-10	BCDI11133
11.0		FD STOPPER52-11	BCDI11134
12.0		FD STOPPER52-12	BCDI11135



(Including one piece)

Unit: mm

NP

RP

WP

INSTRUMENTS


FINESIA BL

TRIAL GUIDE TP

Used for trial after the final shape of the implant hole is achieved

L	Product Name	Product Code
1.0	TRIAL GUIDE-TP-32	BCDI11151
	TRIAL GUIDE-TP-34	BCDI11152
0.9	TRIAL GUIDE-TP-37	BCDI11153
	TRIAL GUIDE-TP-42	BCDI11154
	TRIAL GUIDE-TP-47	BCDI11155
	TRIAL GUIDE-TP-52	BCDI11156

Unit: mm




TRIAL GUIDE ST

Used for trial after the final shape of the implant hole is achieved

L	Product Name	Product Code
0.8	TRIAL GUIDE-ST-37	BCDI11163
	TRIAL GUIDE-ST-42	BCDI11164
	TRIAL GUIDE-ST-47	BCDI11165
	TRIAL GUIDE-ST-52	BCDI11166

Unit: mm




TAP FORMER TP

In the case of hard bone, it forms a tap according to the implant diameter.

W	Product Name	Product Code
3.1	TAP FORMER-TP-32	BCDI11181
3.3	TAP FORMER-TP-34	BCDI11182
3.6	TAP FORMER-TP-37	BCDI11183
4.1	TAP FORMER-TP-42	BCDI11184
4.6	TAP FORMER-TP-47	BCDI11185
5.1	TAP FORMER-TP-52	BCDI11186

Unit: mm




TAP FORMER ST

In the case of hard bone, it forms a tap according to the implant diameter.

W	Product Name	Product Code
3.6	TAP FORMER-ST-37	BCDI11193
4.1	TAP FORMER-ST-42	BCDI11194
4.6	TAP FORMER-ST-47	BCDI11195
5.1	TAP FORMER-ST-52	BCDI11196

Unit: mm




DRILL EXTENDER

Attached and used if the adjacent teeth interfere with the instruments attached to the contra-angle handpiece or if the vertical dimension is insufficient.

Product Name	Product Code
DRL EXTENDER	BCDI11235

Unit: mm




HEXALOBULAR DRIVER CH

Attached to contra-angle handpiece or CH adapter for use.
Used for transport coupling of various caps and screws

L	Product Name	Product Code
16.0	HEXALO DRIVER-XS-CH	BCDI11240
20.0	HEXALO DRIVER-S-CH	BCDI11241
24.0	HEXALO DRIVER-M-CH	BCDI11242
28.0	HEXALO DRIVER-L-CH	BCDI11243

Unit: mm




HEXALOBULAR DRIVER SH

Used for transport coupling of various caps and screws

L	Product Name	Product Code
4.0	HEXALO DRIVER-XS-SH	BCDI11244
8.0	HEXALO DRIVER-S-SH	BCDI11245
12.0	HEXALO DRIVER-M-SH	BCDI11246
16.0	HEXALO DRIVER-L-SH	BCDI11247

Unit: mm




HEXALOBULAR DRIVER WH

Attached to DA adapter or driver holder for use.
Used for transport coupling of various caps and screws

L	Product Name	Product Code
4.5	HEXALO DRIVER-XS-WH	BCDI11248
6.5	HEXALO DRIVER-S-WH	BCDI11249
8.5	HEXALO DRIVER-M-WH	BCDI11250
12.5	HEXALO DRIVER-L-WH	BCDI11251

Unit: mm



Products used for a hexalobular driver CH/SH/WH


- Screw for Transfer Coping
- Cover Screw
- Healing Abutment
- Abutment Screw
- Lab Screw
- Screw for Impression Post

IMPLANT DRIVER CH

Used for insertion of the BL implant body, and attached to contra-angle handpiece or FD adapter for use

Product Name	Product Code
FBL-I DRIVER-NP-S-CH	BCDI11260
FBL-I DRIVER-NP-L-CH	BCDI11262
FBL-I DRIVER-RP-S-CH	BCDI11263
FBL-I DRIVER-RP-L-CH	BCDI11265
FBL-I DRIVER-WP-S-CH	BCDI11266
FBL-I DRIVER-WP-L-CH	BCDI11268

Unit: mm




IMPLANT DRIVER WH

Used for insertion of the BL implant body, and attached to DA adapter or driver holder for use

Product Name	Product Code
FBL-I DRIVER-NP-WH	BCDI11269
FBL-I DRIVER-RP-WH	BCDI11270
FBL-I DRIVER-WP-WH	BCDI11271

Unit: mm




TORQUE WRENCH

Attached to DA adapter, CH adapter, or FD adapter and used for insertion of the implant.
Used to check the implant insertion torque

Product Name	Product Code
TORQUEWRENCH	BCDI11286

Unit: mm




FD ADAPTER

Attached to torque wrench and implant driver CH for use

Product Name	Product Code
FD ADAPTER	BCDI11289

Unit: mm




DA ADAPTER

Attached to torque wrench and various types of driver WH for use

Product Name	Product Code
DA ADAPTER	BCDI11287

Unit: mm

* A separate driver holder C ring is necessary.




CH ADAPTER

Attached to torque wrench, hexalobular driver CH, or flex driver CH for use

Product Name	Product Code
CH ADAPTER	BCDI11288

Unit: mm





TORQUE WRENCH SET

A set comprising torque wrench body and DA adapter

Product Name	Product Code
TORQUE WRENCH SET	BCDI11290

Unit: mm

* A separate driver holder C ring is necessary.




DRIVER HOLDER

Attached to hexalobular driver WH or BL implant driver WH for use

Product Name	Product Code
DRIVER HOLDER	BCDI11295

Unit: mm




DRIVER EXTENDER

If adjacent teeth interfere during insertion of the implant body, this can be attached to the DA adapter or driver holder to ensure an adequate vertical dimension.

Product Name	Product Code
DRIVER EXTENDER	BCDI11296

Unit: mm




DRIVER HOLDER C

Attached to contra-angle handpiece and used to insert the implant body

H	Product Name	Product Code
21.1	DRIVER HOLDER C-S	BCDI11275
29.1	DRIVER HOLDER C-L	BCDI11276

Unit: mm



(Including 10 pieces of driver holder C rings)

DRIVER HOLDER C RING

Attached to driver holder C for use

Product Name	Product Code
DRIVER HOLDER C RING	BCDI11277

Unit: mm



(Including 30 pieces)

STOPPER PICK-UP

Used to retain the final drill stopper and transport it.

Product Name	Product Code
F-STOPPER PICK UP	BCDI12005




FLEX DRIVER CH

Used for screw coupling

L	Product Name	Product Code
20.0	F-FLEX DRIVER-S-CH	BCDI11305
24.0	F-FLEX DRIVER-M-CH	BCDI11306
28.0	F-FLEX DRIVER-L-CH	BCDI11307
36.0	F-FLEX DRIVER-XL-CH	BCDI11308

Unit: mm



Products used for flex driver CH


- Splint Abutment Angle Screw
- Cylinder Screw
- Lab Screw for Splint Abutment
- Screw for Transfer Coping for Splint Abutment

DRIVER FOR SPLINT ABUTMENT

Used for coupling BL splint abutment

H	Product Name	Product Code
20.0	FBL-SP DRIVER-S-CH	BCDI11300
22.0	FBL-SP DRIVER-M-CH	BCDI11301
24.0	FBL-SP DRIVER-L-CH	BCDI11302

Unit: mm




BALL ABUTMENT CARRIER

Used for carrying ball abutment

Product Name	Product Code
F-BALL AB CARRIER	BCDI11311

Unit: mm




BALL ABUTMENT DRIVER

Used for coupling ball abutment

Product Name	Product Code
F-BALL AB DRIVER-CH	BCDI11310



Unit: mm



SURGICAL CASE

Instruments for ST- or TP-type BL, TL, or 1P can be stored.



Product Name	Product Code
F-SURGICAL CASE	BCDI12000



SURGICAL CASE S

Frequently used instruments can be selected and stored.


Product Name	Product Code
F-SURGICAL CASE-S	BCDI12001



PROSTHETIC CASE

Instruments used for secondary operations and subsequent steps can be stored.

Product Name	Product Code
F-PROSTHETIC CASE	BCDI12003



STOPPER CASE

All sizes of stoppers can be stored, which facilitates selection and use of appropriate sizes.

Product Name	Product Code
F-STOPPER CASE	BCDI12002



FINESIA is a registered trademark of KYOCERA Corporation.

The information included in this catalog is as of August 2017.
Reproducing or copying this catalog, in whole or in part, without
permission is prohibited.